

www.compostquality.ca

## **SUMMARY OF ANALYSIS REPORT**

To: Essex-Windsor SWA CQA Member#: 07-1200

360 Fairview Ave West Essex, Ontario N8M 3G4

Attention: Sample I.D.: Row "D-20"

C21041-70001 Reported Date: 2021-2-19

Compost to be Manufacture in: Ontario

Feedstock: Leaf & Yard Residues

#### **CQA COMPOST QUALITY & VALUE TESTING PARAMETERS REPORT**

SAMPLE ID	RECOMMENDED END USE/MARKET					
Row "D-20"	Category AA					
Regulatory	See Appendix I					
Product Quality	See Appendix II					
Product Value/ Soil	See Appendix III					
Suitability*	(Soil, Enviro, Manure Compost)					

The Compost Quality Alliance (CQA) is a voluntary quality monitoring program established by the Compost Council of Canada and the compost producers utilizing recognized standardized testing methodologies and uniform operating protocols to provide customer assurance in compost selection its use, and proper end-use utilization.

All analysis of this compost product was conducted and provided by A&L Canada Laboratories Inc. for the Compost Quality Alliance (CQA).

Haifeng Song, Senior Chemist

100

Ian McLachlin, Vice-President

A proud member of



A&L Canada Laboratories Inc. London, Ontario Canada (519) 457-2575

Compost
Council of Canada
Council of Canada

\*PLEASE NOTE: Major Nutrients under the Fertilizer Act and Regulations (CFIA)

Please see Appendix III for nutrient content (of impact to claims and labelling if used in declarations).

Compost is classified in Schedule II as a supplement, and as such nutrient guarantees are not mandatory. However, if any claims are made regarding nutritional value of the product, such as for composted manure, the product would then be classified as a supplement and a fertilizer, and the label would have to include the guarantees for the major nutrients include the minimum amounts of Total Nitrogen (N), Available Phosphoric Acid (P205) and Soluble Potash K20. Source: T-4-120 - Regulation of Compost under the Fertilizers Act and Regulations. http://www.inspection.gc.ca/plants/fertilizers/trade-memoranda/t-4-120/eng/1307910204607/1307910352783



# Appendix I Ontario Compost Guidelines 2012 & CFIA Fertilizer Act & Regulations



#### A. Maximum Concentrations for Trace Metals in Compost - Ontario

		Category AA	Category A	Category B
Trace Elements	Test Results	Maximum 0	Concentration wi	thin Product
	(ug/g)		(mg/kg dry weight	)
Arsenic (As)	4.24	13	13	75
Cadmium (Cd)	BDL	3	3	20
Chromium (Cr)	17.85	210	210	1060
Cobalt (Co)	2.38	34	34	150
Copper (Cu)	41.41	100	400	760
Lead (Pb)	20.44	150	150	500
Mercury (Hg)	BDL	0.8	0.8	5
Molybdenum (Mo)	1.90	5	5	20
Nickel (Ni)	7.99	62	62	180
Selenium (Se)	BDL	2	2	14
Zinc (Zn)	120.90	500	700	1850

#### B. Foreign Matter in Compost - Ontario+

	Test Results	Category AA	Category A	Category B
Foreign Matter		Contains < 1% F	M greater than	Contains < 2% FM greater
Percent (%) FM > 3mm/500mL	BDL	3mm and 0.5%	plastics. Shall	than 3mm and 0.5%
Percent (%) Plastics > 3mm/500mL	BDL	not contain any	FM greater than	plastic. No FM >
Pieces 25mm/500mL	0	25mm/	500mL	25mm/500mL
Sharp Foreign Matter		No oborn mottor	that can cause	No more than 3 pieces of
Pieces > 3mm/500mL	0	No sharp matter that can cause human or animal injury		sharp matter no greater
Pieces > 12.5mm/500mL	0	naman or a	illinai irijary	than 12.5mm/500mL

### C. Maturity/Stability - Ontario+

Method	Test Results	Required Limits
CO <sub>2</sub> Respiration Rate	2.50	$\leq$ 4 mg of carbon in the form of carbon dioxide per
CO <sub>2</sub> Respiration Rate	2.50	gram of organic matter per day
O <sub>2</sub> Uptake Respiration Rate		≤ 400 mg oxygen/kg of volatile solids (or organic
O <sub>2</sub> Uptake Respiration Rate		matter)/hour

#### D. Pathogens - Ontario+

Pathogen	Test Results	Required Limits
E. coli (MPN/g dry)	357	<1000 MPN/g total solids calculated on a dry weight basis
Salmonella (P-A/25g(ml))	NEGATIVE	<3 MPN/4g total solids calculated on a dry weight basis

+The following references are from the Ontario Compost Quality Standards Guidelines July 2012

\*BDL = Below Detectable Limits

#### E. CFIA - Ontario

Parameter	Test Results
Total Organic Matter (%)	59.03%
Moisture (%)	32.72%



# Appendix II Finished Compost Quality



Parameter	Test Results
pH	8.0
Carbon to Nitrogen Ratio	25:1
Particle Size/Texture (inch)+	1/4 Inch
Soluble Salts (ms/cm)	1.3
Sodium Base Saturation (%Na)	3.13%
Major Nutrients	
Available Potassium (%K)	13.57%
Available Magnesium (%Mg)	26.72%
Available Calcium (%Ca)	56.58%

<sup>+</sup> Majority of sample passes through this sieve size

#### Reference Compost Quality Parameters for CQA

Use	pН	C:N	Moisture	Particle Size	Soluble Salts	%Na
Remediation	5.8-8.5	10-40	NA	<2 in	<20	<3%
Soil Amendment	5.8-8.5	10-30	NA	<1/2 in	<6	<2%
Landscaping	5.8-8.5	12-22	<50%	<1/2 in	<5	<2%
Planting Media	5.5-7.8	12-22	<50%	<1/2 in	<4	<2%
Turf Establishment & Topdressing	5.5-7.8	12-22	<50%	<3/8 in	<3	<1%
Greenhouse Seeding	6-7	12-22	<25%	<1/4 in	<2	<0.5%
Greenhouse Establishement	6-7	12-22	<30%	<1/2 in	2-3.5	<0.5%
Field Nursery	5.8-8	10-30	<50%	<1/2 in	<3.5	<1%
Agricultural Soil Amendments	6-8	10-30	<50%	<1/2 in	<20	none
Potting Soil	5.5-7.2	12-22	<50%	<1/4 in	<2	<1%

Unrestricted Use: Category AA and Category A - Compost that can be used in any application, such as agricultural lands, residential gardens, horticultural operations, the nursery industry, and other businesses. Category A criteria for trace elements are achievable using best source separated MSW feedstock, municipal biosolids, pulp and paper mill biosolids, or manure.

Restricted Use: Category B - Compost that has a restricted use because of the presence of sharp foreign matter or higher trace element content. Category B compost may require additional control when deemed necessary by a province or territory.

Note: For a compost to meet the unrestricted use category, it must meet the unrestricted (Category A) requirements for all trace elements and sharp foreign matter. If the compost fails one criterion of the guideline for unrestricted use but meets the criteria for restricted (Category B) use, then is is classified as a Category B product. Products that do not meet the criteria for either Category A or B must be used or disposed of appropriately.



# Appendix III

# ALLIANCE DE LA QUALITÉ COMPOST QUALITY ALLIANCE

# Compost Agricultural Product Value as is basis

Agricultural End-Use	ural End-Use Analysis Result		Quantity in lbs/T					
Physical Parameters								
Dry Matter	67.28%	%						
рН	8.0							
Bulk Density	425	kg/m3						
C:N Ratio	25:1							
	Fertilizer Equivalent Minerals							
Nitrogen Total	1.42%	%	28.4					
Ammonium Nitrogen	1.68	ppm	0.00					
Total Phosphate (P as P205)	0.28%	%	5.6					
Total Potash (K as K20)	Total Potash (K as K20) 0.40%		8.0					
Calcium	2.54%	%	50.8					
Magnesium	0.50%	%	10.0					
Sulfur	1089.60	ppm	2.2					

The Compost Quality Assurance program goes beyond the provincial requirements to establish full value and appropriate end-use. The Compost Report and Compost End-use table in Appendix II, has 10 different compost application uses from soil remediation, through to potting soil blends. Of note are available soluble salt limits and the percent available sodium for sensitive plants. Appendix III, lists the primary agricultural use parameters and quantitative nutrient content that reflects this compost samples agricultural end-use, and application value. This value includes macro and micro nutrients, soil building properties such as the addition of organic matter, increasing moisture holding capacity, and the soils slow release nutrients. These parameters improve beneficial soil health components soil structure and stability.

The results of our testing on this sample indicates that this product is a fine textured, compost (86%+ 1/4 in.), with rich mineral properties, which would meet criteria for agricultural soil amendment, blending and topdressing end-uses purposes. The C:N ratio 25:1 from Appendix II, on the soil suitability report indicates a low C:N ratio and indicating good nitrogen availability. The low C:N ratio in conjunction with the higher total nitrogen content listed in Appendix III indicates early high available nitrogen levels, and should be considered for crop planning.

The proportion of available sodium (3.13% Na), which if used in too heavy a proportion could cause some problems with sensitive species. The sodium levels of this compost sample though high, is suitable for agricultural broadcast field applications and are made to improve the organic matter level and major nutrients phosphorus, potassium and magnesium levels. The compost is also rich in available calcium, sulfur, and zinc, which make it ideal for soil enriching, and amendment. We recommend blending this material at a minimum of 2-3 parts soil blended to each part of this compost to dilute the sodium concentration.

Major Nutrients - Compost is classified in Schedule II (CFIA Fertilizer Act & Regulations) as a supplement, and as such, nutrient guarantees are not mandatory. However, if any claims are made regarding nutritional value of the product, such as for composted manure, the product would then be classified as a supplement and a fertilizer, and label would have to include the guarantees for the major nutrients. The guarantees for the major nutrients include the minimum amounts of Total Nitrogen (N), Available Phosphoric Acid (P205) and Soluble Potash (K20).

**Report Number:** C21041-10022 **Account Number: 98043** 

## A & L Canada Laboratories Inc.

2136 Jetstream Road, London, Ontario, N5V 3P5 Telephone: (519) 457-2575 Fax: (519) 457-2664





To: ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST

**SUITE 211** ESSEX, ON N8M 3G4

519-776-6370

For: ROW "D-20"

Reported Date:

Printed Date: Feb 19, 2021

### **COMPOST REPORT**

Page: 1 / 1

Sample Number	Lab Number	рН	Lime Index		Available Organic Matter %	Phosphorus P ppm	s Potassi K ppn		Magnesium Mg ppm	Calcium Ca ppm
ROW #D-20#	59049	8.0	6.9		53.9	199	1222	2	750	2612
Sulfur	Zinc	Manganese	Iron	Copper	Boron	Sodium	Nitrate-N	Soluble	Nitrogen	Chloride
S ppm	Zn ppm	Mn ppm	Fe ppm	Cu ppm	B ppm	Na ppm	NO3-N ppm	Salt ms/cm	(Total) (%)	ppm
37	13.8	17	120	1.3	2.1	166	3	1.3	1.42	1358

#### **INTERPRETATION**

CEC			Percent Base Saturation			Pı	Proportional Equivalents (meq)				Cation Ratio	
meq/100g	% BS	% K	% Mg	% Ca	% Na	K	Mg	Ca	Na	Mg/K	Ca/Mg	
23.1	100.0	13.57	26.72	56.58	3.13	3.13	6.17	13.06	0.72	2:1	2:1	25:1
Optimum	Range:	3 - 5	8 - 20	60 - 80		0.5 - 1.3				7:1	5:1	

CQA

The results of this report relate to the sample submitted and analyzed.

\* Crop yield is influenced by a number of factors in addition to soil fertility.

**Results Authorized By:** 



Ian McLachlin, Vice President

No guarantee or warranty concerning crop performance is made by A & L.

A&L Canada Laboratories Înc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca

<sup>\*</sup> Results reported on a dry weight basis.

### A & L Canada Laboratories Inc.

**REPORT NUMBER:** C21041-10022 **ACCOUNT NUMBER: 98043** 

2136 Jetstream Rd, London, Ontario, N5V 3P5 Telephone: (519) 457-2575 Fax: (519) 457-2664



## REPORT OF ANALYSIS

TO: ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST

SUITE 211

RE: Row "D-20"

**DATE RECEIVED: 2021-02-10** 

**DATE REPORTED:** 2021-02-19

**PAGE:** 1 / 1

ESSEX, ON N8M 3G4 CQA2100057

LAB NO.	SAMPLE ID	ANALYSIS	RESULT	UNIT	METHOD
59049	ROW #D-20#	Nitrogen (Total)	1.4	%	TMECC.04.02-D



**Results Authorized By:** 



**REPORT NO.** C21041-70001

## A & L Canada Laboratories Inc.

ACCOUNT NUMBER 98043 2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4 FOR:ROW D-20

Phone:800-563-3377 Fax:519-776-6370

## **CERTIFICATE OF ANALYSIS**

**PAGE:** 1 / 3

**PROJECT NO:** 

PO#: LAB NUMBER:417002 SAMPLE ID:ROW D-20 SAMPLE MATRIX:COMPOST DATE SAMPLED:2021-02-04 DATE RECEIVED:2021-02-10 DATE REPORTED:2021-02-18 DATE PRINTED:2021-02-19

PARAMETER	Result	UNIT	DETECTIO LIMIT	METHOD REFERENCE
Arsenic	4.24	ug/g	1.00	EPA 3050B/6010B(mod) *
Cadmium	BDL	ug/g	1.00	EPA 3050B/6010B(mod) *
Cobalt	2.38	ug/g	1.00	TMECC.04.06;EPA 3050/6010(mod)
Chromium	17.85	ug/g	1.00	TMECC.04.06;EPA 3050/6010(mod*
Copper	41.41	ug/g	1.00	TMECC.04.06;EPA 3050/6010(mod)
Mercury	BDL	ug/g	0.10	EPA 7471 *
Molybdenum	1.9	ug/g	1.0	TMECC.04.06;EPA 3050/6010(mod*
Nickel	7.99	ug/g	1.00	TMECC.04.06;EPA 3050/6010(mod)
Lead	20.44	ug/g	1.00	EPA 3050B/6010B(mod) *
Selenium	BDL	ug/g	1.00	EPA 3050/6010 (mod) *
Zinc	120.90	ug/g	1.00	TMECC.04.06;EPA 3050/6010(mod)

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.



Results Authorized By:

Haifeng Song, Ph.D., C.Chem. Lab Director

<sup>\* -</sup> accredited test

**REPORT NO.** C21041-70001

## A & L Canada Laboratories Inc.

ACCOUNT NUMBER 98043 2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4 FOR:ROW D-20

Phone:800-563-3377 Fax:519-776-6370

## **CERTIFICATE OF ANALYSIS**

**PAGE**: 2 / 3

**PROJECT NO:** 

PO#: LAB NUMBER:417002 SAMPLE ID:ROW D-20 SAMPLE MATRIX:COMPOST DATE SAMPLED:2021-02-04 DATE RECEIVED:2021-02-10 DATE REPORTED:2021-02-18 DATE PRINTED:2021-02-19

PARAMETER	Result	UNIT <sup>E</sup>	DETECTION LIMIT	METHOD REFERENCE
E. coli	357	MPN/g dry	3	TMECC 07.01
Salmonella spp.	NEGATIVE	P-A/	1 CFU	MFLP-75 *
		25.0g(ml)		
Total sharps > 2.8 mm*	0	pieces/500ml		TMECC 03.08
Total sharps > 12.5 mm	0	pieces/500ml		TMECC 03.08
Total FM > 2.8 mm*	BDL	%	0.01	TMECC 03.08
Total FM > 25 mm	0	pieces/500ml		TMECC 03.08
Total plastics > 2.8 mm*	BDL	%	0.01	TMECC 03.08
Total Organic Matter @ 550 deg C	59.03	%	0.10	LOI@550C
Moisture	32.72	%	0.10	TMECC.03.09-A
Sieve 2 Inch (% Passing)	100.00	%	0.10	ASTMD422
Sieve 1 Inch (% Passing)	100.00	%	0.10	ASTMD422
Sieve 1/2 Inch (% Passing)	98.60	%	0.10	ASTMD422
Sieve 3/8 Inch (% Passing)	95.10	%	0.01	ASTMD422
Sieve 1/4 Inch (% Passing)	86.10	%	0.10	ASTMD422
Compost Stability Index	7			TMECC.05.08-B
Respiration-mgCO2-C/g OM/day	2.50	mgCO2-C/ gOM/day	0.01	TMECC.05.08-B
Respiration - mgCO2-C/g TS/day	1.50	mgCO2-C/ gTS/day	0.01	TMECC.05.08-B

Maturity Index: 7 - Well matured, aged compost, cured; few limitations for usage.

\* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.

C21041-70001

**Results Authorized By:** 

Haifeng Song, Ph.D., C.Chem. Lab Director

REPORT NO. C21041-70001

# A & L Canada Laboratories Inc.

**ACCOUNT NUMBER** 98043

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO: ESSEX-WINDSOR SWA 360 FAIRVIEW AVE WEST SUITE 211 ESSEX, ON N8M 3G4

FOR: ROW D-20

Phone:800-563-3377 Fax:519-776-6370

## **CERTIFICATE OF ANALYSIS**

3 / 3 PAGE:

**PROJECT NO:** 

PO#: **LAB NUMBER:**417002 **SAMPLE ID:**ROW D-20

**SAMPLE MATRIX:**COMPOST **DATE SAMPLED:**2021-02-04 **DATE RECEIVED:**2021-02-10 **DATE REPORTED:**2021-02-18 **DATE PRINTED:**2021-02-19

PARAMETER	Result Dry Weight	Result As Received	UNIT	DETECTION LIMIT	METHOD REFERENCE
Total Solids (as received)		67.28	%	0.10	Gravimetric
Nitrogen & Carbon					
Total Organic Carbon		32.79	%	0.10	Combustion
Ammonia (NH3/NH4-N)	2.50	1.68	ug/g	.01	Colourimetric
Metals					
Potassium	4977.50	3348.86	ug/g	5.00	TMECC.04.04
Total Potassium (as K20)	0.60	0.40	%	0.05	ICP
Phosphorus	1818.00	1223.15	ug/g	5.00	TMECC.04.03 *
Total Phosphorus (as P205)	0.42	0.28	%	0.05	ICP
Aluminum	2975.00	2001.58	ug/g	5.00	TMECC.04.07 *
Boron	30.38	20.44	ug/g	1.00	TMECC.04.05 *
Calcium	3.78	2.54	%	0.01	TMECC.04.05
Iron	7080.00	4763.42	ug/g	5.00	TMECC.04.05 *
Magnesium	0.75	0.50	%	0.01	TMECC.04.05 *
Manganese	230.20	154.88	ug/g	1.00	TMECC.04.05 *
Sodium	0.11	0.07	%	0.01	TMECC.04.05 *
Sulphur	1619.50	1089.60	ug/g	5.00	TMECC.04.05 *
Additional Parameters					
Bulk Density (as Recieved)		425	kg/m3	10	Gravimetric
Conductivity (@ 25 deg C)		1.55	ms/cm	0.02	Conductivity Meter

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.



C21041-70001

**Results Authorized By:** 

Haifeng Song, Ph.D., C.Chem. Lab Director

<sup>\* -</sup> accredited test