



www.compostquality.ca

# SUMMARY OF ANALYSIS REPORT

**To:** Essex-Windsor SWA  
360 Fairview Ave West  
Essex, ON N8M 3G4

**CQA Member#:** 07-1200

**Attention:**

**Sample I.D.:** ROWQ16

**Report#:** C17191-10025  
C17191-70009

**Sample Date:**

**Reported Date:** 2017-7-19

**Compost to be Manufacture in:** ON

**Feedstock:** Leaf and Yard Residues

## CQA COMPOST QUALITY & VALUE TESTING PARAMETERS REPORT

SAMPLE ID	RECOMMENDED END USE/MARKET
ROWQ16	Category AA
Regulatory	See Appendix I
Product Quality	See Appendix II
Product Value/ Soil Suitability*	See Appendix III (Soil, Enviro, Manure Compost)

The Compost Quality Alliance (CQA) is a voluntary quality monitoring program established by the Compost Council of Canada and the compost producers utilizing recognized standardized testing methodologies and uniform operating protocols to provide customer assurance in compost selection its use, and proper end-use utilization.

All analysis of this compost product was conducted and provided by A&L Canada Laboratories Inc. for the Compost Quality Alliance (CQA).

Haifeng Song, Senior Chemist

Ian McLachlin, Vice-President



A&L Canada Laboratories Inc.  
London, Ontario Canada  
(519) 457-2575

A proud member of



**\*PLEASE NOTE: Major Nutrients under the Fertilizer Act and Regulations (CFIA)**

Please see Appendix III for nutrient content (of impact to claims and labelling if used in declarations).

Compost is classified in Schedule II as a supplement, and as such nutrient guarantees are not mandatory. However, if any claims are made regarding nutritional value of the product, such as for composted manure, the product would then be classified as a supplement and a fertilizer, and the label would have to include the guarantees for the major nutrients. The guarantees for the major nutrients include the minimum amounts of Total Nitrogen (N), Available Phosphoric Acid (P2O5) and Soluble Potash K2O. Source: T-4-120 - Regulation of Compost under the Fertilizers Act and Regulations. <http://www.inspection.gc.ca/plants/fertilizers/trade-memoranda/t-4-120/eng/1307910204607/1307910352783>



**Appendix I**  
**Ontario Compost Guidelines 2012 & CFIA Fertilizer**  
**Act & Regulations**



**A. Maximum Concentrations for Trace Metals in Compost - Ontario†**

Trace Elements	Test Results (µg/g)	Category AA	Category A	Category B
		Maximum Concentration within Product (mg/kg dry weight)		
Arsenic (As)	<b>8.53</b>	13	13	75
Cadmium (Cd)	<b>BDL*</b>	3	3	20
Chromium (Cr)	<b>43.41</b>	210	210	1060
Cobalt (Co)	<b>3.53</b>	34	34	150
Copper (Cu)	<b>52.55</b>	100	400	760
Lead (Pb)	<b>26.42</b>	150	150	500
Mercury (Hg)	<b>BDL*</b>	0.8	0.8	5
Molybdenum (Mo)	<b>2.60</b>	5	5	20
Nickel (Ni)	<b>18.14</b>	62	62	180
Selenium (Se)	<b>BDL*</b>	2	2	14
Zinc (Zn)	<b>129.70</b>	500	700	1850

**B. Foreign Matter in Compost - Ontario†**

Test Results		Category AA	Category A	Category B
<b>Foreign Matter</b>		Contains < 1% FM greater than 3mm and 0.5% plastics. Shall not contain any FM greater than 25mm/500mL		Contains < 2% FM greater than 3mm and 0.5% plastic. No FM > 25mm/500mL
Percent (%) FM > 3mm/500mL	<b>BDL*</b>			
Percent (%) Plastics > 3mm/500mL	<b>BDL*</b>			
Pieces 25mm/500mL	<b>0</b>	No sharp matter that can cause human or animal injury		No more than 3 pieces of sharp matter no greater than 12.5mm/500mL
<b>Sharp Foreign Matter</b>				
Pieces > 3mm/500mL	<b>0</b>			
Pieces > 12.5mm/500mL	<b>0</b>			

**C. Maturity/Stability - Ontario†**

Method	Test Results	Required Limits
<b>CO<sub>2</sub> Respiration Rate</b> CO <sub>2</sub> Respiration Rate	<b>3.40</b>	≤ 4 mg of carbon in the form of carbon dioxide per gram of organic matter per day
<b>O<sub>2</sub> Uptake Respiration Rate</b> O <sub>2</sub> Uptake Respiration Rate		≤ 400 mg oxygen/kg of volatile solids (or organic matter)/hour

**D. Pathogens - Ontario†**

Pathogen	Test Results	Required Limits
<b>E. coli (MPN/g dry)</b>	<b>&lt;3</b>	<1000 MPN/g total solids calculated on a dry weight basis
<b>Salmonella (P-A/25g(ml))</b>	<b>NEGATIVE</b>	<3 MPN/4g total solids calculated on a dry weight basis

†The following references are from the Ontario Compost Quality Standards Guidelines July 2012

\*BDL = Below Detectable Limits

**E. CFIA - Ontario**

Parameter	Test Results
<b>Total Organic Matter (%)</b>	<b>29.00%</b>
<b>Moisture (%)</b>	<b>34.57%</b>



## Appendix II Finished Compost Quality



Parameter	Test Results
pH	8.1
Carbon to Nitrogen Ratio	9:1
Particle Size/Texture (inch)+	1/4 inch
Soluble Salts (ms/cm)	2.9
Sodium Base Saturation (%Na)	1.61%
<b>Major Nutrients</b>	
Available Potassium (%K)	27.15%
Available Magnesium (%Mg)	21.07%
Available Calcium (%Ca)	50.17%

+ Majority of sample passes through this sieve size

### Reference Compost Quality Parameters for CQA

Use	pH	C:N	Moisture	Particle Size	Soluble Salts	%Na
Remediation	5.8-8.5	10-40	NA	<2 in	<20	<3%
Soil Amendment	5.8-8.5	10-30	NA	<1/2 in	<6	<2%
Landscaping	5.8-8.5	12-22	<50%	<1/2 in	<5	<2%
Planting Media	5.5-7.8	12-22	<50%	<1/2 in	<4	<2%
Turf Establishment & Topdressing	5.5-7.8	12-22	<50%	<3/8 in	<3	<1%
Greenhouse Seeding	6-7	12-22	<25%	<1/4 in	<2	<0.5%
Greenhouse Establishment	6-7	12-22	<30%	<1/2 in	2-3.5	<0.5%
Field Nursery	5.8-8	10-30	<50%	<1/2 in	<3.5	<1%
Agricultural Soil Amendments	6-8	10-30	<50%	<1/2 in	<20	<1%
Potting Soil	5.5-7.2	12-22	<50%	<1/4 in	<2	<1%

Unrestricted Use: Category AA and Category A - Compost that can be used in any application, such as agricultural lands, residential gardens, horticultural operations, the nursery industry, and other businesses. Category A criteria for trace elements are achievable using best source separated MSW feedstock, municipal biosolids, pulp and paper mill biosolids, or manure.

Restricted Use: Category B - Compost that has a restricted use because of the presence of sharp foreign matter or higher trace element content. Category B compost may require additional control when deemed necessary by a province or territory.

Note: For a compost to meet the unrestricted use category, it must meet the unrestricted (Category A) requirements for all trace elements and sharp foreign matter. If the compost fails one criterion of the guideline for unrestricted use but meets the criteria for restricted (Category B) use, then it is classified as a Category B product. Products that do not meet the criteria for either Category A or B must be used or disposed of appropriately.



**Appendix III**  
Compost Agricultural Product Value  
as is basis



Agricultural End-Use	Analysis Result	Unit	Quantity in lbs/T
<b>Physical Parameters</b>			
Dry Matter	65.43%	%	
pH	8.1		
Bulk Density	705	kg/m3	
C:N Ratio	9:1		
<b>Fertilizer Equivalent Minerals</b>			
Nitrogen Total	2.00%	%	40.0
Ammonium Nitrogen	71.36	ppm	0.14
Total Phosphate (P as P2O5)	0.37%	%	7.4
Total Potash (K as K2O)	0.84%	%	16.8
Calcium	2.67%	%	53.4
Magnesium	0.67%	%	13.4
Sulfur	1328.23	ppm	2.7

The Compost Quality Assurance program goes beyond the provincial requirements to establish full value and appropriate end-use. The Compost Report and Compost End-use table in Appendix II, has 10 different compost application uses from soil remediation, through to potting soil blends. Of note are available soluble salt limits and the percent available sodium for sensitive plants. Appendix III, lists the primary agricultural use parameters and quantitative nutrient content that reflects this compost samples agricultural end-use, and application value. This value includes macro and micro nutrients, soil building properties such as the addition of organic matter, increasing moisture holding capacity, and the soils slow release nutrients. These parameters improve beneficial soil health components soil structure and stability.

The results of our testing on this sample indicates that this product is a fine textured, mature compost (84%+ 1/4 in.), with rich mineral properties, which would meet criteria for agricultural soil amendment, blending and topdressing end-uses purposes. The C:N ratio 9:1 from Appendix II, on the soil suitability report indicates a low C:N ratio and indicating good nitrogen availability. The low C:N ratio in conjunction with the higher total nitrogen content listed in Appendix III indicates early high available nitrogen levels, and should be considered for crop planning.

The proportion of available sodium (% Na), which if used in too heavy a proportion could cause some problems with sensitive species. The sodium levels of this compost sample is medium and suitable for agricultural broadcast field applications and are made to improve the organic matter level and major nutrients phosphorus, potassium and magnesium levels. The compost is also rich in available calcium, sulfur, and iron, which make it ideal for soil enriching, and amendment. We recommend blending this material at a minimum of 2-3 parts soil blended to each part of this compost to dilute the sodium concentration.

**Major Nutrients - Compost is classified in Schedule II (CFIA Fertilizer Act & Regulations) as a supplement, and as such, nutrient guarantees are not mandatory. However, if any claims are made regarding nutritional value of the product, such as for composted manure, the product would then be classified as a supplement and a fertilizer, and label would have to include the guarantees for the major nutrients. The guarantees for the major nutrients include the minimum amounts of Total Nitrogen (N), Available Phosphoric Acid (P2O5) and Soluble Potash (K2O).**

Report Number: C17191-10025  
 Account Number: 98043

# A & L Canada Laboratories Inc.

2136 Jetstream Road, London, Ontario, N5V 3P5  
 Telephone: (519) 457-2575 Fax: (519) 457-2664



C17191-10025



To: ESSEX-WINDSOR SWA  
 360 FAIRVIEW AVE WEST  
 SUITE 211  
 ESSEX, ON N8M 3G4

For: ROWQ16

519-776-6370

Reported Date:  
 Printed Date: Jul 14, 2017

## COMPOST REPORT

Page: 1 / 1

Sample Number	Lab Number	pH	Lime Index	Available Organic Matter %	Phosphorus P ppm	Potassium K ppm	Magnesium Mg ppm	Calcium Ca ppm
ROWQ16	6945	8.1	6.9	26.1	746	6108	1478	5789

Sulfur S ppm	Zinc Zn ppm	Manganese Mn ppm	Iron Fe ppm	Copper Cu ppm	Boron B ppm	Sodium Na ppm	Nitrate-N NO3-N ppm	Soluble Salt ms/cm	Nitrogen (Total) (%)	Moisture %
150	29.9	34	266	2.4	6.0	214	102	2.9	2.00	

### INTERPRETATION

CEC		Percent Base Saturation				Proportional Equivalents (meq)				Cation Ratio		C/N Ratio
meq/100g	% BS	% K	% Mg	% Ca	% Na	K	Mg	Ca	Na	Mg/K	Ca/Mg	
57.7	100.0	27.15	21.07	50.17	1.61	15.66	12.15	28.95	0.93	1:1	2:1	
Optimum Range:		3 - 5	8 - 20	60 - 80		0.5 - 1.3				7:1	5:1	

### CQA

\* Results reported on a dry weight basis.

**The results of this report relate to the sample submitted and analyzed.**

\* Crop yield is influenced by a number of factors in addition to soil fertility.

**No guarantee or warranty concerning crop performance is made by A & L.**

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on [www.scc.ca](http://www.scc.ca) and by the Canadian Association for Laboratory Accreditation as listed on [www.cala.ca](http://www.cala.ca)  
 Additional information available upon request

Results Authorized By:

Ian McLachlin, Vice President

# A & L Canada Laboratories Inc.

2136 Jetstream Rd, London, Ontario, N5V 3P5  
Telephone: (519) 457-2575 Fax: (519) 457-2664



REPORT NUMBER: C17191-10025  
ACCOUNT NUMBER: 98043

## REPORT OF ANALYSIS

TO: ESSEX-WINDSOR SWA  
360 FAIRVIEW AVE WEST  
SUITE 211  
ESSEX, ON N8M 3G4

RE: ROWQ16

CQA1700060

DATE RECEIVED: 2017-07-10  
DATE REPORTED: 2017-07-14  
PAGE: 1 / 1

LAB NO.	SAMPLE ID	ANALYSIS	RESULT	UNIT	METHOD
6945	ROWQ16	Nitrogen (Total)	2.0	%	TMECC.04.02-D



C17191-10025

Results Authorized By:

A handwritten signature in black ink, appearing to be 'M. [unclear]', written over a horizontal line.

REPORT NO.  
C17191-70009

# A & L Canada Laboratories Inc.



ACCOUNT NUMBER  
98043

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664

TO: ESSEX-WINDSOR SWA  
360 FAIRVIEW AVE WEST  
SUITE 211  
ESSEX, ON N8M 3G4  
CANADA

FOR: ROW Q-16

ATTN: TOM MARENTETTE

Phone: 800-563-3377  
Fax: 519-776-6370

## CERTIFICATE OF ANALYSIS

PAGE: 1 / 3

PROJECT NO:

SAMPLE MATRIX: COMPOST

PO#:

DATE SAMPLED: 2017-07-07

LAB NUMBER: 1917022

DATE RECEIVED: 2017-07-10

SAMPLE ID: ROW Q-16

DATE REPORTED: 2017-07-18

DATE PRINTED: 2017-07-19

PARAMETER	Result	UNIT	DETECTION LIMIT	METHOD REFERENCE
Arsenic	8.53	ug/g	1.00	EPA 3050/6010 (mod) *
Cadmium	BDL*	ug/g	1.00	TMECC.04.06; EPA 3050/6010(mod)*
Cobalt	3.53	ug/g	1.00	TMECC.04.06; EPA 3050/6010(mod)
Chromium	43.41	ug/g	1.00	TMECC.04.06; EPA 3050/6010(mod)*
Copper	52.55	ug/g	1.00	TMECC.04.06; EPA 3050/6010(mod)
Mercury	BDL*	ug/g	0.10	EPA 7471 *
Molybdenum	2.6	ug/g	1.0	TMECC.04.06; EPA 3050/6010(mod)*
Nickel	18.14	ug/g	1.00	TMECC.04.06; EPA 3050/6010(mod)
Lead	26.42	ug/g	1.00	TMECC.04.06; EPA 3050/6010(mod)
Selenium	BDL*	ug/g	1.00	EPA 3050/6010 (mod) *
Zinc	129.70	ug/g	1.00	TMECC.04.06; EPA 3050/6010(mod)

\* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.



C17191-70009

Results Authorized By:

Haifeng Song, Ph.D., C.Chem. Lab Director

REPORT NO.  
C17191-70009

# A & L Canada Laboratories Inc.



ACCOUNT NUMBER  
98043

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664

TO: ESSEX-WINDSOR SWA  
360 FAIRVIEW AVE WEST  
SUITE 211  
ESSEX, ON N8M 3G4  
CANADA

FOR: ROW Q-16

ATTN: TOM MARENTETTE

Phone: 800-563-3377  
Fax: 519-776-6370

## CERTIFICATE OF ANALYSIS

PAGE: 2 / 3

PROJECT NO:

SAMPLE MATRIX: COMPOST

PO#:

DATE SAMPLED: 2017-07-07

LAB NUMBER: 1917022  
SAMPLE ID: ROW Q-16

DATE RECEIVED: 2017-07-10

DATE REPORTED: 2017-07-18

DATE PRINTED: 2017-07-19

PARAMETER	Result	UNIT	DETECTION LIMIT	METHOD REFERENCE
E. coli	<3	MPN/g dry	3	TMECC 07.01
Salmonella spp.	NEGATIVE	P-A/ 25.0g(ml)	1 CFU	MFLP-75 *
Total FM > 2.8 mm*	BDL*	%	0.01	TMECC 03.08
Total FM > 25 mm	0	pieces/500ml		TMECC 03.08
Total plastics > 2.8 mm*	BDL*	%	0.01	TMECC 03.08
Total sharps > 2.8 mm*	0	pieces/500ml		TMECC 03.08
Total sharps > 12.5 mm	0	pieces/500ml		TMECC 03.08
Total Organic Matter	29.00	%	0.01	LOI@550C
Moisture	34.57	%	0.10	TMECC.03.09-A
C : N Ratio	9 : 1			TMECC.05.02-A
Sieve 2 Inch (% Passing)	100.00	%	0.10	ASTMD422
Sieve 1 Inch (% Passing)	100.00	%	0.10	ASTMD422
Sieve 1/2 Inch (% Passing)	97.40	%	0.10	ASTMD422
Sieve 3/8 Inch (% Passing)	93.90	%	0.01	ASTMD422
Sieve 1/4 Inch (% Passing)	84.30	%	0.10	ASTMD422
Compost Stability Index	7	---		TMECC.05.08-B
Respiration-mgCO <sub>2</sub> -C/g OM/day	3.40	mgCO <sub>2</sub> -C/ gOM/day	0.01	TMECC.05.08-B
Respiration - mgCO <sub>2</sub> -C/g TS/day	0.80	mgCO <sub>2</sub> -C/ gTS/day	0.01	TMECC.05.08-B

Maturity Index: 7 - Well matured, aged compost, cured; few limitations for usage.

\* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.



C17191-70009

Results Authorized By:

Haifeng Song, Ph.D., C.Chem. Lab Director



REPORT NO.  
C17191-70009

# A & L Canada Laboratories Inc.



ACCOUNT NUMBER  
98043

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664

TO: ESSEX-WINDSOR SWA  
360 FAIRVIEW AVE WEST  
SUITE 211  
ESSEX, ON N8M 3G4  
CANADA

FOR: ROW Q-16

ATTN: TOM MARENTETTE

Phone: 800-563-3377  
Fax: 519-776-6370

## CERTIFICATE OF ANALYSIS

PAGE: 3 / 3

PROJECT NO:

SAMPLE MATRIX: COMPOST  
DATE SAMPLED: 2017-07-07  
DATE RECEIVED: 2017-07-10  
DATE REPORTED: 2017-07-18  
DATE PRINTED: 2017-07-19

PO#:

LAB NUMBER: 1917022  
SAMPLE ID: ROW Q-16

PARAMETER	Result Dry Weight	Result As Received	UNIT	DETECTION LIMIT	METHOD REFERENCE
Total Solids (as received)		65.43	%	0.10	Gravimetric
<b>Nitrogen &amp; Carbon</b>					
Total Organic Carbon	17.40	17.40	%	0.10	Combustion
Ammonia (NH <sub>3</sub> /NH <sub>4</sub> -N)	109.06	71.36	ug/g	.01	Colourimetric
<b>Metals</b>					
Potassium	10665.00	6978.11	ug/g	5.00	TMECC.04.06
Total Potassium (as K <sub>2</sub> O)	1.28	0.84	%	0.05	ICP
Phosphorus	2492.00	1630.52	ug/g	5.00	TMECC.04.06 *
Total Phosphorus (as P <sub>2</sub> O <sub>5</sub> )	0.57	0.37	%	0.05	ICP
Aluminum	4698.50	3074.23	ug/g	5.00	TMECC.04.06 *
Boron	22.66	14.83	ug/g	1.00	TMECC.04.06
Calcium	4.08	2.67	%	0.01	TMECC.04.06
Iron	9870.00	6457.94	ug/g	5.00	TMECC.04.06 *
Magnesium	1.03	0.67	%	0.01	TMECC.04.06
Manganese	175.95	115.12	ug/g	1.00	TMECC.04.06
Sodium	0.08	0.05	%	0.01	TMECC.04.05 *
Sulphur	2030.00	1328.23	ug/g	5.00	TMECC.04.06 *
<b>Additional Parameters</b>					
Bulk Density (as Recieved)		705	kg/m <sup>3</sup>	10	Gravimetric
Conductivity (@ 25 deg C)		3.36	ms/cm	0.02	Conductivity Meter

\* - accredited test

BDL - Below detectable levels

The results of this report relate to the sample submitted and analyzed.



C17191-70009

Results Authorized By:

Haifeng Song, Ph.D., C.Chem. Lab Director