



Essex-Windsor Solid Waste Authority

360 Fairview Ave. West, Suite 211 Essex, ON N8M 3G4

ph: 519-776-6441 f: 519-776-6370

tf: 1-800-563-3377 / tty: 1-877-624-4832

email: ask@ewswa.org / web: www.ewswa.org

June 7, 2019

File: 2019 Scrap Metal Contracts

Sent By: Fax and or Email

Sent by Fax and/or Email

Dear Contractor,

**Subject: Request For Quotation
Sale of Scrap Metal Contracts for the Period of July 1 to December 31, 2019**

Please be advised that the Essex-Windsor Solid Waste Authority has issued a Request for Quotation for the handling of ferrous and non-ferrous metals for the last 6 months of 2019 (July 1 to December 31, 2019) originating from the following locations:

- Public Drop Off Depot located at 3560 North Service Rd. E., Windsor
- Kingsville Transfer Station located at 2021 County Road 31, Kingsville
- Regional Landfill located at 7700 County Road 18, Essex

Please find attached a Request for Quotes for the Sale of Scrap Metal for you to complete and submit should you wish to do so. If you have any questions or comments, please feel free to contact the undersigned at 519-776-6441 ext. 1394.

Sincerely,

Cathy Copot-Nepszy, Manager of Waste Diversion

Enclosure: Quote Sheet



Request for Quotes – 6 Months

Sale of Scrap Metal

RFQ Release Date – June 7, 2019

Quotes Must Be Received By 12:00 PM (Noon) June 21, 2019

Proponents are requested to submit bids for various types of scrap metal available from the Essex-Windsor Solid Waste Authority. You may choose to submit bids on one or more types of metal. The following describes various scrap metals that are received at the following locations: Public Drop Off facility located at 3560 North Service Road, Windsor, the Kingsville Transfer Station located at 2021 County Rd. 31, Kingsville and the Regional Landfill located at 7700 County Road 18, Essex.

Residue may be returned to the Authority at no cost; however, the Authority will not pay for the shipping costs of returning residue to the Public Drop Off Depot. These metals will be segregated (by others) in the categories described below and when containers (40 cu. yd. - supplied by others) are full, they will be delivered to a facility **(located within the boundaries of the City of Windsor)** of the successful bidder for **each** metal type.

Tonnage estimates for each type are for a six month period and are estimated and provided for information only. Quantities are not guaranteed.

Quoted prices are in effect for the following period: July 1- December 31, 2019

Type #1 - Miscellaneous White Goods/Appliances	
Note: No items containing refrigerants will be included in this container.	This container will include items such as: washers, dryers, stoves, hot water tanks, dishwashers, microwaves, etc.
Approx. Tonnes - 40 to 60	Type #1 Bid price: \$ _____/tonne
Type #2 – Ferrous Materials Miscellaneous Mixed	
Note: No items containing refrigerants will be included in this container.	This container will include all other ferrous metals received (i.e. chairs, cabinets, household items, sinks, doors, piping, bathtubs, electric motors, car parts, etc.)
Approx. Tonnes - 170 to 210	Type #2 Bid price: \$ _____/tonne
Type #3 – Non-Ferrous Miscellaneous Mixed	
Note: No items containing refrigerants will be included in this container.	This will include all non-ferrous metals received such as barbecues, lawn chairs, siding, storm doors and window frames, ladders, eaves troughs, etc.
Approx. Tonnes - 20 to 70	Type #3 Bid price: \$ _____/tonne

Company Name: _____

Mailing Address: _____

Phone: _____ **Fax:** _____ **Email:** _____

The successful bidder will be required to provide evidence and supporting documentation for any markdowns to the Authority immediately following the receipt of any loads.

Authorized signature: _____ **Print Name:** _____

SUBMIT PRICES VIA E-MAIL TO: cnepszy@ewswa.org and tpolicella@ewswa.org

Essex-Windsor Solid Waste Authority
Catharine Copot-Nepszy, Manager of Waste Diversion
360 Fairview Ave. W., Suite 211, Essex, Ontario N8M3G4
Phone: 519-944-3421 ext. 1394 fax: 519-776-6370